

American Lumber Standard Committee, Incorporated®


R.K. Caron, Chairman
 T.F. Brodie, Vice Chairman
 L.N. Belden, Treasurer
 D.E. Kretschmann, President

7470 New Technology Way, Suite F
 Frederick, Maryland 21703
 Telephone: 301.972.1700
 Fax: 301.540.8004
 E-Mail: alsc@alsc.org

ACCREDITED AGENCIES FOR SUPERVISORY AND LOT INSPECTION OF FUMIGATED WOOD/FUMIGATED WOOD PACKAGING MATERIAL January 2017

Agencies accredited by the Board of Review of the American Lumber Standard Committee, Incorporated and typical quality marks.

Interpreting a Wood Packaging Material (WPM) Fumigation Quality Mark



- Trademark* – the identifying symbol, logo, or name of the accredited agency
- Facility Identification* – product manufacturer name, brand or assigned facility number
- Fumigant mark* (note – will be two letter code as designated in ISPM15. In these examples MB represents use of the fumigant methyl bromide)
- Country Code* – the two letter ISO country abbreviation
- Approved International symbol for compliant wood packaging material
- Indication for use as dunnage (may be abbreviated or spelled out fully)



ACCREDITED AGENCIES ADDRESSES AND EXAMPLES OF TYPICAL WPM FUMIGATION QUALITY MARK(S)

Export Wood Packaging Inspection Service

P.O. Box 212
Chino Valley, AZ 86323

928.775.9072
877.400.7750
Fax: 888.956.6464

e-mail: contact@exportwoodpi.com



DUN

Lee Inspection & Consulting Services, Inc.

2207 California Plaza, #3B
Bossier City, LA 71111

800.508.6232
Fax: 800.508.5531

e-mail: troy@leeinspect.com





Package Research Laboratory

21 Pine Street
Suite 105
Rockaway, NJ 07866

973.627.4405
Fax: 973.627.4407

e-mail: ddixon@package-testing.com



Stafford Inspection & Consulting Services, LLC

14418 Roxane Drive
Orlando, FL 32832

407.380.7914
Fax: 407.380.8914

e-mail: info@staffordinspection.com





Timber Products Inspection

P.O. Box 919
Conyers, GA 30012

770.922.8000
Fax: 770.922.1290

e-mail: mmcgowan@tpinspection.com





West Coast Lumber Inspection Bureau

P.O. Box 23145
Portland, OR 97281-3145


503.639.0651
Fax: 503.684.8928

e-mail: info@wclib.org



Interpreting a Wood Fumigation Mark

(These marks will be found only on lumber for use in construction of Fumigated WPM. Presence of these marks alone do not indicate products are acceptable for international shipment under ISPM-15 requirements.)



- a. *Trademark* – the identifying symbol, logo, or name of the accredited agency
- b. *Facility Identification* – product manufacturer name, brand or assigned facility number
- c. *Fumigant* mark (note – will be two letter code as designated in ISPM15. In these examples MB represents use of the fumigant methyl bromide)


ACCREDITED AGENCIES ADDRESSES AND EXAMPLES OF TYPICAL WOOD FUMIGATION QUALITY MARK(S)

Export Wood Packaging Inspection Service

P.O. Box 212
Chino Valley, AZ 86323

928.775.9072
877.400.7750
Fax: 888.956.6464

e-mail: contact@exportwoodpi.com



Lee Inspection & Consulting Services, Inc.

2207 California Plaza, #3B
Bossier City, LA 71111

800.508.6232
Fax: 800.508.5531

e-mail: troy@leeinspect.com



Package Research Laboratory

21 Pine Street
Suite 105
Rockaway, NJ 07866

973.627.4405
Fax: 973.627.4407

e-mail: ddixon@package-testing.com



Stafford Inspection & Consulting Services, LLC

14418 Roxane Drive
Orlando, FL 32832

407.380.7914
Fax: 407.380.8914

e-mail: info@staffordinspection.com

MB 000
SIWP®

Timber Products Inspection

P.O. Box 919
Conyers, GA 30012

770.922.8000
Fax: 770.922.1290

e-mail: mmcgowan@tpinspection.com



West Coast Lumber Inspection Bureau

P.O. Box 23145
Portland, OR 97281-3145

503.639.0651
Fax: 503.684.8928

e-mail: info@wclib.org

010 MB 

American Lumber Standard Committee, Incorporated

7470 New Technology Way, Suite F Frederick, MD 21703
301.972.1700 fax 301.540.8004 e-mail: alsc@alsc.org url: www.alsc.org