

American Lumber Standard Committee, Incorporated®


J. A. Brochu, Chairman
 L.C. Goodloe, Vice Chairman
 E.T. Fritch, Treasurer
 D.E. Kretschmann, President

7470 New Technology Way, Suite F
 Frederick, Maryland 21703
 Telephone: 301.972.1700
 Fax: 301.540.8004
 E-Mail: alscc@alsc.org

ACCREDITED AGENCIES FOR SUPERVISORY AND LOT INSPECTION OF FUMIGATED WOOD/FUMIGATED WOOD PACKAGING MATERIAL April 2026

Agencies accredited by the Board of Review of the American Lumber Standard Committee, Incorporated and typical quality marks.

Interpreting a Wood Packaging Material (WPM) Fumigation Quality Mark



- Trademark – the identifying symbol, logo, or name of the accredited agency.
- Facility Identification – product manufacturer name, brand or assigned facility number.
- Fumigant mark (note – will be two letter code as designated in ISPM15. In these examples MB represents use of the fumigant methyl bromide).
- Country Code – the two letter ISO country abbreviation.
- Approved International symbol for compliant wood packaging material.
- Indication for use as dunnage (may be abbreviated or spelled out fully).

ACCREDITED AGENCIES ADDRESSES AND EXAMPLES OF TYPICAL WPM FUMIGATION QUALITY MARK(S)

Lee Global, Inc.

3358 North Ewing Lane
Joplin, MO 64801

866.327.1899
Fax: 866.327.1901

e-mail: sales@leeinspect.com




Package Research Laboratory

400 Morris Avenue
Suite 259
Denville, NJ 07834

973.627.4405
Fax: 973.627.4407

e-mail: info@package-testing.com





Timber Products Inspection

100 Kedron Dr.
Peachtree City, GA 30269


770.922.8000
Fax: 770.922.1290

e-mail: mmcgowan@tpinspection.com



Interpreting a Wood Fumigation Mark

(These marks will be found only on lumber for use in construction of Fumigated WPM. Presence of these marks alone do not indicate products are acceptable for international shipment under ISPM-15 requirements.)



- a. Trademark – the identifying symbol, logo, or name of the accredited agency
- b. Facility Identification – product manufacturer name, brand or assigned facility number
- c. Fumigant mark (note – will be two letter code as designated in ISPM15. In these examples MB represents use of the fumigant methyl bromide)

Lee Global, Inc.

3358 North Ewing Lane
Joplin, MO 64801

866.327.1899
Fax: 866.327.1901

e-mail: sales@leeinspect.com



Package Research Laboratory

400 Morris Avenue
Suite 259
Denville, NJ 07834

973.627.4405
Fax: 973.627.4407

e-mail: info@package-testing.com



Timber Products Inspection

100 Kedron Dr.
Peachtree City, GA 30269

770.922.8000
Fax: 770.922.1290

e-mail: mmcgowan@tpinspection.com



American Lumber Standard Committee, Incorporated
7470 New Technology Way, Suite F Frederick, MD 21703
301.972.1700 fax 301.540.8004 e-mail: alsc@alsc.org url: www.alsc.org